
PS
PRE
MAIN
CE
HLY
GOTTA HAND IT TO CLAUDE... KEPT ON CHECKING THE PS INDEX.
INDEX
Issues 188-193
(Jul-Dec 1968)
EISNER

THE PREVENTIVE MAINTENANCE MONTHLY

INDEX NO. 18 to ISSUES 188-193 (Jul-Dec 1968)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels by the "Pin-Point" distribution method.

Within limits of availability, older issues may be obtained direct from PS Magazine, Fort Knox, Kentucky, 40121.

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:

DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 188 to 193 INCLUSIVE

	PS	Page
A		
AIRCRAFT ARMAMENT		
7.62-MM Minnigun---now officially M134	191	39
M134 High Rate Gun		
Feeder-Delinker--use correct solenoid	188	65
TAT-102A Subsystem--general introduction	189	18
M21 Subsystem		
Ammo box tray cover is good gage	190	40
AIRCRAFT, ARMY, GENERAL		
Cleaning--don't use JP-4 to clean aircraft parts	188	26
Components-TB 55-1500-307-25 for historical info	193	57
Data plates--Keep in tact	192	15
Grounding-Safe hookup procedures	188	26
Maintenance floats--Pull PM	192	21
Shelter, Air Mobile-spring holds florescent tubes in place	192	24
Sling loads--follow TM's	190	2
Survival Kit BIIL -- See Ch 1 to TM 55-8465-206-13	191	65
Tape, Reflecting--Application of	190	64
Tires--reverse to equalize wear	193	58
TOOLS		
Aircraft maintenance-clipped wire ends caught	188	27
See TB 750-931-10/1 for calibration interval	193	58
AIRCRAFT, ARMY		
Fixed Wing		
O-1 (Bird Dog)		
Brakes--Get new rudder pedal bracket	192	16
U-6A (Beaver)		
Tail Wheel-Make boot to protect strut piston	192	23
U-8 (Seminole)		
Engine mounts-correct installation	188	65
Prop control check--follow TM 55-1510-201-20	190	64
U-8F (Seminole)		
Fuel Injector Pump Oil Screen--check for leakage	193	81
Fuel injector pump--eye screen	190	11
Hydraulic fluid reservoir--don't overfill	190	10
U-21A (UTE) ---BYOI-be your own inspector	193	45
Torque--check plunger on high readings	193	55
T-41B (Mascalero)		
Brake, Parking-Never use when bird is in motion	192	24

	PS	Page
AIRCRAFT, ARMY (Fixed Wing) con't		
Maintenance--Field fixes	190	14
Publications--Use manufacturers	190	17
Rotary Wing		
Instruments--mark them properly	191	40
AH-1G (HueyCobra)		
Be your own inspector	189	2
Engine Transmission Blower--keep dog house clean	193	56
Ground handling wheels--proper fit	190	12
Trunnion housing--Eye bolts for damage	192	19
CH-47 (Chinook)		
Drain Tubes--Extend to help prevent spills	192	20
Sync Drive Shaft, FWD-make tool to measure bolt	192	22
CH-47A (Chinook)		
Rotor blades--use eddy current tester	192	22
CH-54 (Tarhe)		
T/R Drive Shaft Supt Bearing--proper lube	193	57
OH-6A (Cayuse)		
Armor Kit--see MWO 55-1520-214-40/1	193	81
Fuel Vent--change faulty hose	193	57
Ground-Handling Wheel--don't use HUEY wheels	188	28
Main Rotor Blades--protect with abrasion strip	193	57
Maintenance--Use savvy OJT	191	42
PMD--follow to the letter	193	80
Towing Bar--make locally	190	10
OH-23G (Raven)		
Fuel tank--parts number for cap	192	16
UH-1 (Iroquois)		
Antenna, whip--spacer prevents flexing into T/R	192	19
Chip Detector Plug-Never use force on connectors	191	38
Engine Mount--measure bearing play	191	39
Oil Cooler Turbo Fan--cleanliness check	188	25
Tail rotor drive shaft--PM tips on clamps	192	17
UH-1D (Iroquois)		
Main rotor head-Proper installation of pillow block	191	37
ALARM SET		
AN/GSS-9---Apply instruction decal	190	26
AMMO--Baseball gernade safety	190	40
ANTENNA		
AB-15/GR--Use brush for cleaning	189	48
AT-272( )/PRC & AT-892/PRC-25---fold properly	193	62
RC-292----Silicone Lubing	193	62
PM pointers	193	60
Whip, Silicone the joints	189	47

	PS	Page
B		
BATTERY-Proper charge--importance of	191	21
BATTERY, LEAD-ACID		
Concrete--effects	191	20
Electrolyte--Add water	189	82
Electrolyte--check cartons and jugs	190	65
Maintenance	188	3
BRAKE		
Use parking brake--not gear	189	68
C		
CABLE		
CX-2583/U--mix up in FSN's	190	64
Intervehicular--No gasket at trailer end	189	68
CANS--WATER & GAS . .Storage	191	62
CAN, WATER		
Gasket Glue--FSN	190	65
CARRIER, COMMAND, & RECONNAISSANCE M114 & M114A1		
Track life limits	191	14
CARRIER, COMMAND & RECONNAISSANCE, M114A1		
Check electrical burns	192	49
CARRIER, PERSONNEL, ARMORED, M113&M113A1 FAMILY		
Torsion bar arrows	190	49
CBR		
Atropine Injectors--all the same	192	28
Atropine storage in M17	192	28
DS2 Agent--life in storage	191	58
M4/M4A2 Service Unit--TAERS Forms	189	79
M9 Decon draning	192	25
M11--Decon notes	189	71
Lock fix	189	71
M25/M25A1--Grenades	190	40
M106-Mity Mite--Serial number for	191	60
Mity Mite--TM	190	65
TM 750-5-15--chemical items	189	36
CHAINS--paint or lube	193	19
CLASSIFICATION, VEHICLE NUMBER		
Bridge	192	38
Bridge--combination vehicle	192	41
COLLIMATOR, M1--Right sight pictures	190	39
COMPRESSED GAS--Identify before using	191	56
COMPRESSORS		
Champion Air--no oiling motors	190	64
COMMUNICATION SECURITY EQUIPMENT		
MWO's only authorities to change	193	66

	PS	Page
CONVERTERS, SIGNAL		
TA-182/U--Ringer Resistor	191	65
TA-182/U--Tube shield removal	191	6
CRANE, CRAWLER (Harnischfeger)		
Clutch adjustment	189	

D

DECONTAMINATING APPARATUS		
DS2 Agent in M11 Decon--life of	191	58
Locking pin fix	189	71
Mounting bracket fix	189	71
M9 Decon draining	192	25
M11--Rusty	193	81
Serial number for Mity Mite	191	60
Watch date on M8 hose	191	59
DECONTAMINATION---M11 portable-mounting	189	70
DELOUSER, Model 252 QM-Johnson--New blower wheel	192	26
DIRT--fight dirt on army equipment	189	1
DRUM, FUEL, COLLAPSIBLE, Fuel-stencil grade on drum	193	20

E

EIR--Give phone number	193	81
ELECTRICAL--Battery, lead-acid---maintenance	188	3
ENGINES, GENERAL		
Things that kill them	188	29
ENGINES, DIESEL & GASOLINE		
Drain fuel cells	191	
ENGINE, MILITARY STANDARD		
Decals	189	80
EQUIPMENT RECORDS		
DA Form 2407--Report MWO's	192	29
DA Form 2408-3, Parts changes	190	57
DA Form 2408-3---Requires entries only	189	79
DA Form 2408-5--Record MWO's	192	29
DA Form 2408-8--Warranty period	193	79
Medical Equipment	191	65

F

FADAC--M18 Computer-Timely Tips	190	38
FIELD RANGE, MODEL 59 (M2 BURNER)		
Safety Precautions	190	60
FILTER, AIR--Proper care	190	29
Cat 12--Cleaning	190	54

	PS	Page
FLAME THROWER, M2A1-7--Watch date on M8 hose	191	59
Waist Strap--release before firing	193	80
FORMS, DA, DD, SF, ETC.		
DA 2028, Address for TM 38-750 suggestions	190	64
DA 2028--Recommended changes to pubs	193	67
DA 2407--(Continuity)	191	29
DA 2407 (EIR)	192	57
DA 2408-7, PBD's responsible for	189	79
DA 3318--Recording tips	193	78
FUEL CAN DRUM CLEANER		
BARNES Model, QM 2-28002--Hose couplings	192	28
FUSES--4 basic types & purposes	192	2

G

GENERATOR, 10-KW		
Reporting various SF-10-0-MD makes	192	27
GENERATORS, 30, 45, 60-KW		
Radiator Shutter--don't disconnect automatic feature	190	63
GRADER		
CAT 12--Air filter care	190	54
WABCO, 330HAD--Publication source	191	61
GUN, MACHINE, GENERAL		
Ammo guide--link type & feed directions	189	33
GUN, MACHINE, 7.62, M60, Butt stop--be sure it's seated	190	37
GUN, MACHINE, 50-cal, M85---chatter	192	52
GUN, SELF-PROPELLED, 175MM, M107		
Engine Detaiments--overheating, poor lube, bad air	189	58

H

HANDSET, H-60/PT--Use caution & security decals	190	22
HAWK		
AN/MSM-43 OMSE---Filter elements	192	63
battery control center close shelf cover	189	54
EPU--Keep it clean	189	57
TCC--protect C5 capacitor	192	64
Warhead handling fixture	192	58
LAUNCHER		
preserve rubber seals	189	56
Test-Set--flip standby switch first	189	56
LOADER TRANSPORTER--use protective Halo	189	55
LO is final, correct word	192	60
No paint on cooling Duct	192	63
Number of Track Pads	192	60
MISSILE		
Colloidal Graphite--Don't use	192	58

	PS	Page
HAWK con't		
MISSILE con't)		
Faring Fix	192	59
Wing covers	192	59
RADAR, AN/MPQ-34---Leveling jack pads-tips	192	64
RADAR, AN/MPQ-35		
clean & lube ring gear	189	55
clear shorting bar	189	54
Drain pump coolant	192	61
Filter info	192	61
RADAR, AN/MPQ-37		
check J2 & J5 connectors	189	57
leveling jack pads--tips	192	64
TRAILER, M390		
Don't paint inner tubs on support jack	192	62
HEADSET--proper handling	191	5
HEADSET-MICROPHONE, MK-1039/G-field fix kit	191	8
HEATER, HOT OIL		
HOPKINS MODEL 200S--type oil to use	190	57
HEATER, SPACE -- flame spreader-FSN	190	62
HELMET, APH-5, FLYING -- paint FSN	188	27
HONEST JOHN, LAUNCHER M33, M289, M386		
Socket head screw key--in supply system	188	16
HOWITZER, SELF-PROPELLED, 105-MM, M108		
Breech Firing Mechanisms-CR is not a lube	192	56
Tube & breech areas--PM reminders	188	14
HOWITZER, SELF-PROPELLED, 155-MM, M109		
Evacuator Key & Valve--PM reminders	188	14
Nitrogen pressure--keep an eye on it	188	17
HOWITZER, TOWED, 105MM, M102		
Panoramic telescope--protect it	188	18
HOWITZER, 8"SELF-PROPELLED, M110		
Engine detainments-overheating, poor lube, bad-air	189	58

I

INSPECTION---Be your own inspector-AN/GRC-46( )	188	37
Be your own inspector--M151A1, 1/4 Ton Truck	193	2
BYOI--M17	193	28
M17A1	193	35

L

LAUNCHER, GRENADE, 40-MM, M79		
Lubrication-LSA is OK in place of PL special	190	38
Plastic stock-where to get enamel	190	37
LIGHT BULBS-Extension Light in common tool Kits-FSN	189	36
LUBRICATION-Grease gun points--hit 'em all	188	10
How to use it to fight friction	193	68

M

MAINTENANCE
General PM 188 1
Keep equipment clean 189 1
Maintenance is Survival 190 1
MASK, PROTECTIVE
M17--Atropine storage 192 28
M17--PM checks 193 28
M17A1--PM checks 193 35
MATERIALS HANDLING EQUIPMENT
MHE 199, 10,000 lb--change generator 192 27
MHE 199, 10,000 lb--check slave cylinder arm assy . . . 192 26
MEDICAL--TM 8-605---New publication 191 61
METASCOPE--Shake it easy 192 55
MICROPHONES, M-80--FSN for belt clip 192 14
MOTORS, ELECTRIC --Champion Comp-a/1 do not oil 190 64

N

NIKE HERCULES
Hipar--check glycol lines 191 53
7410 electron tubes--cracked base, still OK 193 26
Launcher-check heat monitor lamp 191 48
Erecting Beams--drainplugs 193 25
Equilibrator Accumulator Data Plate 191 49
Get cable out of way 193 24
LO 9-1400-250-20, Get right one 191 50
Lower Strut--leave screws in 191 50
Manufacturer's name 191 50
Pin Assembly--use it right 191 49
Missile--correct oil pressure for APS & HPU 193 25
MISSILE TRACKING RADAR--new amplifier clamp 191 52
Easy on cones 191 52
Wait before adjusting 191 52
PUBLICATIONS--Must Hercules reading 191 55
Battery wear tips 191 65
SIMULATOR STATION-cable connector tip 191 55
Stagnation pump--gage may need nudge 193 26
TARGET RADARS - check maggie socket 191 54
Trailer--Drain air filters before operation 193 27
VANS-call support on oil leaks 191 54
Leave drain plugs in 191 51
Plastic escape Hatch Cover 191 51
VAN, RC - shave P7 connector clamp 191 51
Voltmeter or multimeter--mox nix, what you use 193 27

O

OFFICE MACHINES-Care, cleaning, travel 7 pubs 190 50

P

PAINT- non-skid for walkways 190 48
Unnecessary spit 'n' polish 188 66
PROJECTOR SETS-AQ-2A(1)(2)--Just enough oil 189 46
PUBLIC ADDRESS SET, AN/TIQ-2--Cords & connectors 193 63
PUBLICATIONS
Administrative storage, see TM 740-9-1(Mar 68) 189 81
Atropine, use of--TM 8-285 . . . . . 192 28
Calibration--SB 11-611 . . . . . 188 65
CBR--FM 21-11 . . . . . 192 28
Check Pub's related references 191 64
Chemical Weapons & Defense Equip--TM 750-5-15 . . . . . 189 36
Decon M9--TM 3-4230-203-12 . . . . . 192 25
How to order 191 1
Mity Mite--TM 3-1040-254-13 . . . . . 190 65
Records, medical equipment 191 65
Supply Pub's listing FSN's with same FIIN 191 61
Technical Pubs--where to send ideas on improvement . . . 193 67
Welding TM --TM 9-237(Nov 67) 190 45
AR 345-215 - -Cut off dates 190 64
AR 711-5, Equipment Status Report 189 72
AR 735-35, C1(May 68) 188 49
DA PAM 310-7, Current MWO's 192 29
DA PAM 750-11 --- Multifuel Trucks 189 81
DA PAM 750-30 --- M16 Rifle 192 65
SB 700-20, Lists Reportable Items 189 72
TM 9-500---Handy ORD Eq Reference 192 25
TM 9-2300-223-20P, C5--gives new codes 190 65
PUMP, FUEL--(POL) Insulation removal 193 21

R

RADAR SET
AN/MPQ-4A, Desiccant Dehydrator HD-264--Check oil . . 189 51
Replace Accessory outlet 193 63
AN/MPQ-10( )---Transmitter Switch Operation 191 7
AN/PPS-4( )---Operating PM tips 192 14
AN/PPS-5, AN/MPQ-4A----Keep sets separate 190 65
RADIO RECEIVER-TRANSMITTER---RT-524 cover 191 4
RADIO RECEIVING SET
AN/PRR-9---Field fix for BA-505/U batteries 190

	PS	Page
RADIO SETS		
AN/GRC-50(V), --Voltage regulator output	193	65
AN/GRC-106---Primary power switch	192	11
Noise Blanker	191	4
Setting test meter switch	193	64
AN/MRC-54,-69,-73,-102,-103, proper tuning head	193	62
AN/PRC-6--Air valve handling	189	49
AN/PRC-8( ), -9( ),-10( ) ---BYOI	190	18
AN/PRC-8,-9,-10		
Folding AT-272( ) Antenna	193	62
AN/PRC-25---Keep it dry	192	12
Audio connector covers	193	80
Folding AT-892 Antenna	193	62
AN/PRC-47---Changing capactiors	190	24
AN/PRC-74---Proper antenna hookup	189	48
Leakprofing RT-794( )'s O-ring	193	65
Power supply	193	81
AN/PRC-74B--Proper battery removal	192	13
AN/PRC-77---Folding AT-892 Antenna	193	62
AN/TRC-108,-109,-110,-117,-143,--proper tuning head	193	62
AN/URC-10---Test procedures	189	46
AN/VRC-12---Turn off power	189	50
Audio connector covers	193	80
Keep O-Ring soft	190	27
Maintain voltage	189	50
Protective Nut	190	25
AN/VRC-24---Keep AT-803/VR dry	189	49
RADIO TELETYPEWRITER SETS		
AN/GRC-46, Kinked CX-9994/U, -95, -96 cables	192	11
AN/GRC-46()---Be your own inspector	188	37
RADIO TERMINAL SET		
AN/PRC-90( ), -129( ), -132---Tuning control settings	190	24
RADIO TRANSMITTING SET		
AN/PRT-4 Transmitting Set; AN/PRR-9 Receiving Set		
Mike element control panel gasket antenna	190	23
RECORDS--Reporting various SF-10-0-MD generators	192	27
RIFLE, M14, 7.62-MM		
Cleaning Rod--use correct swabs	190	39
Firing Pin--check tip often	189	35
Firing pin--chrome it off	191	27
FSN's for plastic stock hardware	192	57
Muzzle Stabilizer	191	27
Muzzle Stabilizer--Keep it tight	191	26
Operating Rod guide tip	189	34
Vehicle mounting kits--get 'em, use 'em	190	41
RIFLE, M16A1, 5.56-MM		
LSA & CR bore cleaner--now in 2-oz bottles	188	65

RIFLE, M16A1, 5.56-MM con't
Training Films TF 21-3907, TF 21-3908 . . . . . 188 65
TM 9-1005-249-14, Ch 5--has latest scoop 188 28
Touch-up painting & other PM 188 21
RIFLE, M16/M16A1
DA Pamphlet 750-30 on M/16's 192 65
Magazine bag--use it wisely 193 80
Magazine covers 191 24
Magazine-Taping 'em is unwise 191 22
Muzzle caps--caution notes 191 23
New-12 TM is now your bible 192 65
Repeat!!--Don't switch bolts 189 81
Stick to authorized cleaners 192 51
Tracer Firing--follow with special cleaning 193 23
Vehicle mounting kits--Get'em, use 'em 190 41
RIFLE, RACK
Combo Rack for M16's & M79 grenade launchers 191
RIFLE SCOPES
AN/PVS-2 Starlight Scope--moonlight reflection 191 24

S

SAFETY -- Paint for slick spots 190 48
Gas Cylinder identification & labeling 191 56
SEARCHLIGHT, XENON
AN/MSS-3, --Shock hazard 191 7
AN/VSS-1, ---Keeping good gaskets 190 25
Paint cowling glass top 193 20
Shock absorber damage 193 20
SERVICE UNIT--M4, M4A2, Taers forms 189 79
SLING LOADS--Rigging-follow TM's 190 2
SMALL ARMS, GENERAL
A salute to the Armorer 192 1
Blacking Sights--Why & how 193 22
SUPPLY
Equipment status report 189 72
FSN's with identical FIIN's 191 61
PLA vs CAOSL 192 65
Records cutoff dates 190 64
Record of Demand Tips 193 78
Recoverable item codes 190 65
Reparables--keep them moving 191 65
Up-dated PLL SOP 188 49
Use TAERS LIN on PB page 189 79
SWITCHBOARD, SB-86/P---Storage batteries 193 64
SYNCHRONIZER, ELECTRICAL, --Connector breakage 193 66

T

TANK, GENERAL--Fire extinguisher cables rusting 192 50
TANK, M48 SERIES, Graphite grease-where it's used 192 56
TANK, M48A2/M48A3--Reworking hydraulic oil gage 191 10
TANK, M48A3
Attacking sling 191 12
Handhold hazards 188 20
Injector bracket fix 188 19
TANK, M60--Handhold hazards 188 20
TANK, M60A1--Periscope spring 191 13
TANK, M60/M60A1
Ammo rack pads 191 27
Attaching sling 191 12
Burned Air Filter baffles 192 48
Checking air intake 192 46
Heater for filter unit 192 48
Injector bracket fix 188 19
M34, M36--Periscope cable 192 55
Reworking hydraulic oil gage 191 10
TELEPHONE SETS TA-43/PT & TA-312/PT
FSN for hand crank 193 63
Hand Generator caution 189 47
Off-hook security lamp 190 27
Use caution & security decals 190 22
TEST EQUIPMENT, SIGNAL
AN/USM-32 Oscilloscope--Handle it carefully 191 5
TEST SET, AN/GRM 55---Test prod protection 189 45
TOOLS
Field Range, Model 59 (M2 Burner) 190 62
Hand-Insulating TL-13A pliers 191 6
Inventory Aid---make tool board 191 58
Maintenance publications 190 66
SET A & SET B for 1/4-ton truck 193 81
Sound detector--fabricate 193 21
Sets - Kits
Automotive & General Mechanic's 191 60
Electrician's NO. 2 . . . . . 190 58
TRACTOR, CRAWLER, CAT D7E--Air cleaner care 188 65
TRACTOR, WHEELED, 290M
Air filter problem 191 28
Cylinder Hoses--order by mfr & part numbers 189 81

	PS	Page
TRAILER, 1/4-TON, G857 SERIES		
M416--Zerk fittings, change	190	46
TRAILER, 3/4-TON, G748 SERIES		
Leg, rear support	191	17
M101A1--Landing leg failure	191	17
TRAILER, 1 1/2-TON, G754 SERIES		
Leg, rear support	191	17
M numbers--convert from XM	191	18
TRAILER, SEMI, G797 SERIES--M177A1-wheel nut & stud	189	66
TRAILER, WATER TANK, M149--Damaged by heater	193	81
TRUCK, GENERAL--Hydraulic Fluid-use proper type	193	16
Before, during, after operation PM	193	1
TRUCK, 1/4-TON, G758, SERIES		
Tailpipe hits shackle--muffler fix	190	45
TRUCK, 1/4-TON, G838 SERIES		
Decal, battery box	193	16
Repair parts stockage (PLA)	192	65
Serial & registration numbers	190	44
Shield, parking brake lever--Fabricate	190	44
Tool Kit set A & set B	193	81
TM-20P (Apr 68)	192	65
U-joints--lube needle bearings	192	44
Valve, crankcase ventilator metering	190	44
TRUCK, 1/4-TON, M151A1--Inspection	193	2
TRUCK, 3/4-TON, G741, SERIES		
Bracket, front lifting shackle	190	43
Lubrication, winch	190	43
Parts, cargo body & cab	190	42
Pulleys for 100-amp system	191	21
Water pump--new lube	191	16
TRUCK, 2 1/2-TON, G742 SERIES		
Clutch Rod--no cutting	192	45
Mirror, outside,--new FSN's for parts	190	48
M35A2--Prop shaft u-joint repair	190	47
OEM--Tire gage & hose	191	19
Steering gear lube level	193	17
Multifuel		
DA Pam 750-11 on Multifuel Truck	189	81
Freeze plugs--sealing	189	81
M109A2 shop van data plate	191	65
Oil filler cap	191	18
Oil filter--installing	189	69
Preheater coil clamp	191	19

TRUCK, 2 1/2-TON, G749 SERIES
Snatch block and tow chain 192
OEM--Tire gage & hose 191
TRUCK, 5-TON, G744 SERIES
Air governor setting 193
Clutch pedal retracing spring 193
Mirrors, West Coast 192
OEM--Tire gage & hose 191
Multifuel
Air filter gasket glue 188
Air intake elbow position 188
DA Pam 750-11 on Multifuel Truck 189
Engine mount--keep 193
Freeze plugs--sealing 189
Oil filler cap 191
Oil filter--installing 189
Preheater Coil clamp 191
Throttle cable FSN 188
TRUCK, 10-TON, G792 SERIES---OEM-Tire gage & hose . . . 191
TUBES ELECTRON-Don't retire them too soon 191
TURBOCHARGER---Operation & care 192
TYPEWRITER--Cleaning, care, transportation pubs 190

U

UNIT, GAS-PARTICULATE, FILTER
M3 electric heater replacement 192

V

VEHICLE, GENERAL
Carbon monoxide hazard 192
Load class--combination vehicle 192
Load class numbers 192
TM 740-90-1, Admin storage 189
Operation check--before-during-after 193
VEHICLE, ENGINEER, COMBAT, M728
Gas particulate filter unit--electric heater 192
Reworking hydraulic oil gage 191
VEHICLE, M4, M4A2 service unit--send in TAERS Forms . . . 189
VEHICLE, RECOVERY, M578
Engine Detaiments--overheating, poor lube, bad air 189

U.S. GOVERNMENT PRINTING OFFICE : 1969 O—3

PM IS MORE THAN SKIN DEEP!



a little touch-up

WAR PAINT

is heap good pm medicine!!

BUT. . .

TOO MUCH PAINT AIN'T

Unnecessary painting... too much spit n' polish... tire painting... all take more time than they're worth.

DO YOUR PM...AND SKIP THE GLITTER!